

Publikationsverzeichnis Prof. Dr. med. Hoeffkes

Originalpublikationen

2003

O. Ranze, H.-G. Höffkes. Tumor-Mikrosatelliten-Instabilität als Prognosefaktor des Tumoransprechens von 5-Fluoruracil basierter adjuvanter Chemotherapie bei Patienten mit kolorektalem Karzinom im Stadium II-III. eingereicht

2002

Valet G, Arland M, Höffkes H-G: Discrimination of Chronic Lymphocytic Leukemia of B-Cell Type by Computerized Analysis of Three-Colour Flow Cytometric Immunophenotypes of Bone Marrow Aspirates and Peripheral Blood, *Laboratory Hematology* 8 (2002): 134

2001

Arland M, Leuner S, Lange S, Bartsch R, Kahl C, Florschütz A, Franke A, Höffkes H-G: Ifosfamide, epirubicin and granulocyte-colony stimulating factor: a new regime for effective mobilisation of peripheral blood progenitor cells in patients with multiple myeloma, *Hematological Oncology* 19 (2001): 59

2000

Kunz D, Höffkes H-G, Kunz WS, Gressner AM: A standardised flow - cytometric method for the accurate determination of platelet counts in patients with severe thrombocytopenia, *Cytometry* 42 (2000): 284

Kahl C, Florschütz A, Leuner S, Jentsch-Ullrich K, Franke A, Bartram CR, Höffkes H.-G.: CD7+ und CD56+ acute myelogenous leukemia is a distinct biologic and clinical disease entity. in: Hiddemann W, Büchner T, Wörmann BS, Ritter J, Creutzig U, Keating M, Plunket W (eds.) *Acute Leukemias VIII – Prognostic Facotors and Treatment Strategies*, Springer Verlag Berlin Heidelberg New York 2000: 112

Bartsch R, Arland M, Lange St Kahl Ch, Valet G, Höffkes H-G: Lymphoma classification by computerised analysis of list mode files from flow cytometric immunophenotyping of bone marrow aspirates, *Cytometry* 41 (2000): 9

1999

Kahl C, Florschütz A, Leuner S, Arland M, Janssen JWG, Franke A, Höffkes H-G: CD7/CD56 double-positive acute myelogenous leukemia, *Laboratory Hematology* 5 (1999): 115

Schmidtke G, Brittinger G, Franke A, Höffkes H-G: Comparative flow cytometric study of clonal excess in leukemic peripheral blood from patients with CLL by different antibodies and effects of blood storage, *Clinical and Laboratory Haematology* 21 (1999): 1

1998

Leuner S, Franke A, Höffkes H-G: Enumeration of CD34-positive hematopoietic progenitor cells by flow cytometry: Comparison of a volumetric assay and the ISHAGE gating strategy, *Bone Marrow Transplantation* 22 (1998): 699

Jentsch-Ullrich K, Leuner S, Kahl C, Arland M, Florschütz A, Franke A, Höffkes H-G: Prognostic factors in patients with carcinoma of unknown primary site (CUPs), *Cancer Journal* 11 (1998): 196

Jentsch-Ullrich K, Leuner S, Kahl Ch, Arland M, Florschütz A, Franke A, Höffkes H-G: Angioödeme durch C1-Esterase-Inhibitor-Mangel, Deutsche Medizinische Wochenschrift 123 (1998): 737

Leuner S, Arland M, Jentsch-Ullrich K, Kahl C, Müller G, Lange S, Fostitsch H-P, Florschütz A, Franke A, Höffkes H-G: Periphere Blut-Stammzell-Transplantation: Klinische Ergebnisse und Qualitätssicherung der Labormethodik, Ärzteblatt Sachsen - Anhalt 9 (1998): 12

Höffkes H-G, Franke A: Stammzellen: Neues über die Qualitätskontrolle, Clinical Laboratory 44 (1998): 75

1997

Höffkes H-G, Brittinger G, Franke A: Immunphenotyping of acute leukaemias and non-Hodgkin's Lymphoma, European Journal of Medical Research 1 (1997): 433

Kahl Ch, Florschütz A, Müller G, Jentsch-Ullrich, Arland M, Leuner St, Franke A, Höffkes H-G: Prognostic significance of dysplastic features of hematopoiesis in patients with de novo acute myelogenous leukemia, Annals of Hematology 75 (1997): 91

Kahl C, Herold M, Höffkes H-G, Franke A: Bendamustine, methotrexate, mitoxantrone and prednisolone (BMMP) a new protocol für the treatment of relapsed or refractory high-grade non-Hodgkin's lymphoma, Oncology 20 (1997): 406

Kahl C, Florschütz A, Höffkes H-G, Franke A: The influence of dysplastic hematopoiesis on the outcome in patients with AML, In: Acute Leukaemias VII, Experimental Approaches and Novel Therapy, Hiddeman W (Ed.) Springer-Verlag Berlin Heidelberg, (1997): 895

Höffkes H-G, Ehrly AM, Franke A, Landgraf H: Exercise induced muscle tissue pO₂ after isovolemic hemodilution, Clinical Hemorheology 16 (1997): 321

Höffkes H-G, Uppenkamp M (Herausgeber): Maligne Lymphome - Biologie, Klassifikation und Klinik, Springer Verlag, Berlin (1997), ISBN 3-540-61865-1

Valet G and Höffkes H-G: Automated classification of patients with chronic lymphocytic leukemia and immunocytoma from flow cytometric three colour immunophenotypes, Cytometry 30 (1997): 275

1996

Höffkes H-G, Schmidtke G, Schmücker U, Uppenkamp P, Brittinger G: Immunphenotyping of B lymphocytes by multiparametric flow cytometry in bone marrow aspirates and peripheral blood of healthy adults, European Journal of Medical Research 1 (1996): 1

Höffkes H-G, Lowe JA, Pederson RO, Schmidtke G, McDonald DF: BIRMA-K3, a new monoclonal antibody for CD34 immunophenotyping and stem and progenitor cell assay, Journal of Hematotherapy 5 (1996): 261

Uppenkamp M, Höffkes H-G, Brittinger G: Mechanisms of chromosomal translocations in malignant lymphomas, Molecular Biology of Hematopoiesis 5 (1996): 127

Höffkes H-G, Dehn R, Franke A, Landgraf H, Ehrly AM: Effects of normovolemic and hypervolemic hematocrit variations on muscle tissue oxygen pressure in patients with chronic ischemia of the calf muscle, *Clinical Hemorheology* 16 (1996): 249

Teschendorf C, Trenn G, Höffkes H-G, Brittinger G: Differential effect of the activation of protein kinase A on the protein synthesis and the secretion in the T-helper 2 cell line D10.G4.1, *Scandinavian Journal of Immunology* 44 (1996): 150

Höffkes H-G, Schmidtke G, Schmücker U, Brittinger G: Lymphocyte gating of peripheral blood in patients with leukemic low-grade non-Hodgkin's lymphoma by multiparametric flow cytometry, *European Journal of Medical Research* 2 (1996); 215

Moog R, Höffkes H-G, Uppenkamp U, Müller N: Comparison of two different techniques for harvesting peripheral blood progenitor cells: Reduced volume PBPC collection versus discontinuous flow system, *Infusionstherapie und Transfusionsmedizin* 23 (1996): 204

Höffkes H-G, Schmidtke G, Uppenkamp M, U Schmücker: Multiparametric immunophenotyping of B-cells in peripheral blood of healthy adults by flow cytometry, *Clinical and Practical Laboratory Immunology* 3 (1996): 30

Höffkes H-G, Uppenkamp M, Brittinger G, Leder W-D, Schmidt U: Benzol - assoziiertes myeloproliferatives Syndrom, *Arbeitsmedizin, Sozialmedizin und Umweltmedizin*, 31 (1996): 152

Höffkes H-G, Wörmann B, Ziegler BL: Durchflußzytometrische Analyse CD34-exprimierender hämatopoietischer Zellen in Blut und Zytaphereseprodukten, *Infusionstherapie und Transfusionsmedizin* 23 (1996): 1

Rothe G, Schmitz G, Höffkes H-G, Janossy G, Knüchel R, Ludwig WD, Nebe T, Nerl C, Orfao A, Serke S, Sonnen R, Tichelli A, Wörmann B: Consensus protocol for the flow cytometric immunophenotyping of hematopoietic malignancies, *Leukemia* 9 (1996): 877

Knippschild M, Uppenkamp M, Meusers P, Brittinger G, Höffkes H-G,: Infection by *Alcaligenes xylosoxidans* subspecies *xylosoxidans* in neutropenic patients, *Oncology* 53 (1996): 258

Höffkes H-G, Ehrly AM, Franke A, Landgraf H: Der Hämatokrit. Stellenwert für die Beurteilung der Mikrozirkulation. *Münchener Medizinische Wochenschrift* 138 (1996): 32

1995

Höffkes H-G, Schumann A, Uppenkamp M, Teschendorf C, Schindler AE, Parwaresch R, Brittinger G: Primary non-Hodgkin's lymphoma of the vagina. Case report and review of the literature, *Annals of Hematology* 70 (1995), 273

Höffkes H-G, Schmidtke G, Brittinger G, Valet G: Computerized analysis of cells from patients with acute myelogenous leukemia prepared by density gradient centrifugation or erythrocyte lysis, *Journal of Laboratory Hematology*. 2 (1995): 126

Höffkes H-G, Heemann UW, Teschendorf Ch, Uppenkamp M, Philipp Th: Hyperviscosity syndrome: efficacy and comparison of plasma exchange by plasma separation and cascade filtration in patients with NHL of Waldenström's type, *Clinical Nephrology* 43 (1995): 335

Höffkes H-G, Schmidtke G, Brittinger G: Immunophenotyping of B lymphocytes by MFC in bone marrow aspirates of healthy adults, *Annals of Hematology* 71(1995): 123

Höffkes H-G, Weber F, Uppenkamp M, Meusers P, Teschendorf Ch, Philipp Th, Brittinger G: Recovery by splenectomy in patients with relapsed thrombotic thrombocytopenic purpura and treatment failure to plasma exchange, *Seminars in Thrombosis and Hemostasis* 21(1995): 161

Höffkes H-G, Weber F, Helmchen U, B Friedmann, Kribben A, Uppenkamp M, Philipp Th: Typ-I-Kryoglobulinämie, *Deutsche Medizinische Wochenschrift* 120 (1995): 990

Kribben A, M Uppenkamp, U Heemann, Höffkes H-G, Meusers P: Postplenektomie-Sepsis (OPSI-Syndrom), *Deutsche Medizinische Wochenschrift* 120 (1995): 771

Abstracts

2003

O. Ranze, M. Arland, A. Freidank, H.-G. Hoeffkes. Sequential capecitabine-based treatment of patients with metastatic colorectal cancer combined with oxaliplatin, irinotecan, and mitomycin - a retrospective analysis. eingereicht

O. Ranze, M. Arland, H.-G. Hoeffkes. Comparison of pegfilgrastim vs. lenograstim in the treatment of chemotherapy-induced neutropenia in adult patients with acute myeloid leukemia (AML). eingereicht

O. Ranze, M. Arland, H.-G. Hoeffkes: Combined therapy of rituximab, fludarabine and cyclophosphamide (R-FC) is efficacious and safe in younger patients suffering from B-cell chronic lymphocytic leukemia (B-CLL) – an update of efficacy and safety. *Blood* 102 (2003): 355b [# 5149]

Ranze O, Arland M, Hoeffkes HG: Rituximab and CHOP on a 14-days cycle (R-CHOP 14) in younger patients with advanced diffuse large B-cell non-Hodgkin's lymphoma (DLBCL) – an update of efficacy and safety. *Blood* 102 (2003): 284b [# 4859]

Ranze O, Arland M, Höffkes H-G: Combined chemotherapy of rituximab, fludarabine and cyclophosphamide is efficacious and safe in younger patients suffering from B-cell chronic lymphocytic leukemia, *Oncology* 26 (2003): 174

Ranze O, Höffkes H-G: Combined therapy of Rituximab and CHOP repeated every 14-days (R-CHOP-14) is a safe and efficacious regimen in patients with advanced diffuse large B-cell non-Hodgkin's-lymphoma, *The Hematology Journal* (2003): 281

2002

Valet G, Höffkes H-G: Individualized risk assessment for patients suffering from diffuse large b-cell lymphoma prior to chemotherapy, *Blood* 100 (2002): 2216

Arland M, Nebe CT, Ranze O, Tiemann M, Höffkes H-G: LGL Syndrome: Transient clonal expansion of large granular lymphocytes, *Blood* 100 (2002): 4618

2001

Arland M, Lange S, Kahl C, Müller G, Fostitsch H-P, Wieker K, Florschütz A, Franke A, Höffkes H-G: Ifosfamide, epirubicin and G-CSF: A new regime for effective mobilisation of peripheral blood progenitor cells in multiple myeloma, *Blood* (2001): 316

2000

Schmidtke G, Schmücker U, Brittinger G, Fassbinder W, Höffkes H-G: Comparative flow cytometric study of clonal excess in leukemic peripheral blood from patients with B-CLL by different antibodies and effects of blood storage, *Blood* (2000): 254

1999

Kahl Ch, Florschütz A, Leuner S, Jentsch-Ullrich K, Franke A, Bartram CR, Höffkes H-G: CD7+ and CD56+ acute myelogenous leukaemia is a distinct biologic and clinical disease entity, *Ann Hematol* (1999): 30

1998

Bartsch R, Brittinger G, Franke A, Valet G, Höffkes H-G: Automated classification of bone marrow aspirates from high-grade non-Hodgkin's lymphoma of the centroblastic subtype and healthy volunteers by immunophenotyping, *Ann Hematol* (1998): 68

Leuner S, Arland M, Jentsch-Ullrich K, Müller G, Kahl C, Florschütz A, Franke A, Höffkes H-G: Enumeration of CD34+ hematopoietic progenitor cells by flow cytometry: Comparison of a volumetric assay and the ISHAGE gating strategy, *Ann Hematol* (1998): 159

Leuner S, Arland M, Wieker K, Franke A, Höffkes H-G: Prospective value of quantifying CD34 - positive cells (PBSC) for the mobilisation and reconstitution of the bone marrow in autologous peripheral blood stem cell transplantation, *Ann Hematol* (1998): 160

Kahl C, Arland M, Fostitsch H-P, Eßbach U, Franke A, Höffkes H-G: Multiparametric three - colour flow cytometry of automated prepared single cell lymph node suspension from patients suffering from non-Hodgkin's Lymphoma, *Ann Hematol* (1998): 126

Trümper L, Klöss M, Höffkes H-G, Löffler M, Pfreundschuh M: Idarubicin - doxorubicin dose equivalency is approx: 1:3,5 in aggressive lymphoma: The NHL-CIVEP Phase-I/II trial of The German High Grade NHL Study Group, *Ann Hematol* (1998): 116

1997

Jentsch-Ullrich K, Kahl Ch, Arland M, Leuner S, Franke A, Höffkes H-G: Association of acquired angioedema caused by C1 Esterase inhibitor deficiency and low-grade non-Hodgkin's Lymphoma, *Blood* 90 (1997): 194

Kahl C, Florschütz A, Jentsch-Ullrich K, Müller G, Arland M, Höffkes H-G, Franke A: Clinical features and overall survival in elderly patients suffering from non-Hodgkin's lymphoma (NHL), *Blood* 90 (1997): 273b

Leuner S, Arland M, Kahl C, Jentsch-Ullrich K, Müller G, Franke A, Höffkes H-G: 2-chlorodeoxyadenosine (2-CdA) in pre-treated patients with relapsed HCL, *Onkologie* 20 (1997): 543

Arland M, Leuner S, Kahl C, Florschütz A, Franke A, Höffkes H-G: High-dose G-CSF application after autologous peripheral blood stem-cell transplantation (aPBSCT) shortens hematopoietic recovery, *Onkologie* 20 (1997): 575

1996

Höffkes H-G, Lowe JA, Pederson RO, Schmidtke G, McDonald DF: A new monoclonal antibody for CD34 immunophenotyping and stem and progenitor cell assay-BIRMA-K3, *Blood* 88 (1996): 215
Kahl C, Herold M, Jentsch-Ullrich K, Wolf H-H, Höffkes H-G, Franke A: A new protocol (BMMP) for the treatment of refractory or relapsed high-grade non-Hodgkin's lymphomas (NHL) of advanced stage: a phase I-study, *Blood* 88 (1996): 192b

Florschütz A, Kahl C, Borstel A, Grabenhorst U, Höffkes H-G, Franke A: Prognostic significance of dysplastic hematoipoiesis in patients with de novo AML, *Blood* 88 (1996): 81a

Moog R, Uppenkamp M, Höffkes H-G, Brittinger G: Gewinnung von Progenitorzellen mit einem diskontinuierlichen Separationsverfahren und "Konzentration" in einem reduzierten Produktvolumen, *Infusionsth und Transfusionsmed* 23 (Suppl 3) (1996): 58

Höffkes H-G, Uppenkamp M, Schmidtke G, Meusers P, Brittinger G, Valet G: Computerized classification of peripheral blood and bone marrow leukocytes from patients with low-grade Non-Hodgkin's lymphomas (NHL), *Ann Oncol* 7 (Suppl 3) (1996): 144

Uppenkamp M, Höffkes H-G, Meusers P, Dunker C, Engert A, Diehl V, Huhn D, Fichtner K, Brittinger G: Monoclonal antibody therapy with 'CAMPATH-1H' in relapsed non-Hodgkin's lymphomas (NHL): A Phase I/II study in Germany, *Ann Oncol* 7 (Suppl 3) (1996): 150

Höffkes H-G, Schmücker U, Brittinger G: Computerized analysis of cells from patients with AML prepared by density gradient centrifugation (DGC) or erythrocyte lysis, (EL) and measured by multiparametric flow cytometry (FC), *Cytometry* 26 (1996): 112

1995

Höffkes H-G, Teschendorf Ch, Uppenkamp M, Brittinger G: Efficacy and tolerance of GM-CSF administration for mobilization of CD34+ peripheral blood cells in patients suffering from advanced relapsed malignant lymphomas, *Blood* 86 (1995): 983

Höffkes H-G, Schmidtke G, Uppenkamp M, Brittinger G: Characterization of simultaneous CD45 and CD20 antigen expression by multiparametric flow cytometry in patients with leukemic low-grade Non-Hodgkin's lymphomas (NHL), *Onkologie* 18 (1995): 70

Höffkes H-G, Schmidtke G, Uppenkamp M, Meusers P, Brittinger G: Multiparametric B lymphocyte immunophenotyping by flow cytometry in peripheral blood and bone marrow of healthy adults, *Onkologie* 18 (1995): 70

Uppenkamp M, Höffkes H-G, Diehl V, Huhn D, Brittinger G: Phase I/II study with a humanized monoclonal antibody, "Campath-1H", in relapsed non-Hodgkin's lymphoma: Experiences and results of 4 centers in Germany, *Onkologie* 18 (1995): 29

Höffkes H-G, Uppenkamp M, Schmidtke G, Meusers P, Brittinger G, Valet G: Automated classification by immunophenotyping of blood and bone marrow leukocytes from patients with low-grade Non-Hodgkin's lymphomas (NHL), *Onkologie* 18 (1995): 70

Uppenkamp M, Höffkes H-G, Teschendorf C, Moog R, Meusers P, Brittinger G: High dose (HD) chemotherapy and peripheral stem cell transplantation as an effective therapy for patients with relapsed malignant lymphomas, *Acta Haematologica* 93 (1995): 120

Moog R, Höffkes H-G, Uppenkamp M, Müller R: Reduced volume peripheral blood stem cell collection, *Infusionsth und Transfusionsmed* 22 (1995): 60

1994

Teschendorf Ch, Uppenkamp M, Höffkes H-G, Moog R, Meusers P, Trenn G, Müller N, Brittinger G: High Dose (HD) chemotherapy with autologous peripheral stem cell support in patients with pretreated malignant lymphomas in relapse, *Exp Hematol* 23 (1995): 757

Moog R, Höffkes H-G, Uppenkamp M, Fuchs N, Holtmann M, Müller N, Teschendorf Ch, Brittinger G: Autologous peripheral blood stem cell collection (APBSCC) in patients with malignant lymphomas, *Infusionsth und Transfusionsmed* 21 (1994): 79

Höffkes H-G, Uppenkamp M, Wagner K, Meusers P, Philipp Th, Brittinger G: Recovery by splenectomy in patients with relapsed Thrombotic Thrombocytopenic Purpura (TTP) and unsustained response to plasma exchange, *Onkologie* 17 (1994): 63

Posterpräsentationen

2003

Hoeffkes HG, Ranze O. Rituximab and CHOP on a 14-days cycle (R-CHOP 14) is a safe and effective regimen in patients with advanced diffuse large B-cell non-Hodgkin's lymphoma (B-NHL). *Evolution and Revolution in NHL Therapy 2003, Monaco.*

O. Ranze, M. Arland, H.-G. Hoeffkes. Combined therapy of rituximab, fludarabine and cyclophosphamide (R-FC) is efficacious and safe in younger patients suffering from B-cell chronic lymphocytic leukemia (B-CLL). *Deutsche Gesellschaft für Hämatologie und Onkologie (DGHO) 2003, Basel [P 872].*

O. Ranze, M. Arland, H.-G. Hoeffkes. Combined therapy of rituximab, fludarabine and cyclophosphamide (R-FC) is efficacious and safe in younger patients suffering from B-cell chronic lymphocytic leukemia (B-CLL). *Closed Poster Session Roche Pharma anlässlich Deutsche Gesellschaft für Hämatologie und Onkologie (DGHO) 2003, Basel*

Ranze O, Hoeffkes HG. Combined therapy of rituximab and CHOP repeated every 14 days (R-CHOP 14) is a safe and efficacious regimen in patients with advanced diffuse large B-cell non-Hodgkin's lymphoma. *8th Congress of the European Haematology Association (EHA) 2003, Lyon [P 281].*