

## a) Originalarbeiten (chronologisch)

(In Klammern Impaktfaktor)

### 2022

Pape M, Reichrath B, Böttel L, Herpertz S, **Kessler H** & Dieris-Hirche, J (2022) Alexithymia and internet gaming disorder in the light of depression: A cross-sectional clinical study. *Acta Psychologica* 229, 103698.

(1,98)

Dieris-Hirche J, te Wildt BT, Pape M, Böttel L, Steinbüchel T, **Kessler H** & Herpertz S (2022) Quality of Life in Internet Use Disorder Patients With and Without Comorbid Mental Disorders. *Front. Psychiatry* 13:862208. doi: 10.3389/fpsy.2022.862208

(4,16)

Schmidt, A.-C., Waldhauser, G. T., Hestermann, F., Kehyayan, A., **Kessler, H.**, & Axmacher, N. (2022). Testing the relationship between empirical paradigms of repression and suppression. *Psychoanalytic Psychology*, 39(3), 244–252.

<https://doi.org/10.1037/pap0000407>

(1,59)

Hummel, E., Elgizouli, M., Beygo, J. Giuranna, J., Sicorello, M., Leitão, E., Schröder, C., Zeschning, M., Müller, S., Öztürk, D., Föcker, M., Herpertz, S., Hebebrand, J., Moser, D., **Kessler, H.**, Horsthemke, B., Hinney, A. & Kumsta, R. (2022). No evidence for intervention-associated DNA methylation changes in monocytes of patients with posttraumatic stress disorder or anorexia nervosa. *medRxiv* 2020.11.11.20229567; doi: <https://doi.org/10.1101/2020.11.11.20229567>

### 2021

Wittmann, L., Dimitrijevic, A., Ehlers, A., Foa, E. B., **Kessler, H.**, Schellong, J., et al. (2021). Psychometric properties and validity of the German version of the Post-Traumatic Diagnostic Scale for DSM-5 (PDS-5). *Eur J Psychotraumatol*, 12(1), 1965339.

(4,07)

Woud, M. L., Blackwell, S. E., Shkreli, L., Würtz, F., Cwik, J. C., Margraf, J., Holmes, E. A., Steudte-Schmiedgen, S., Herpertz, S., & **Kessler, H.** (2021). The Effects of Modifying Dysfunctional Appraisals in Post-Traumatic Stress Disorder using a form of Cognitive Bias Modification: Results of a Randomized Controlled Trial in an Inpatient Setting. *Psychother Psychosom*; DOI:10.1159/000514166

(17,66)

## 2020

**Kessler, H.**, Schmidt, A. C., James, E. L., Blackwell, S. E., von Rauchhaupt, M., Harren, K., Kehyayan, A., Clark, I. A., Sauvage, M., Herpertz, S., Axmacher, N., & Holmes, E. A. (2020). Visuospatial computer game play after memory reminder delivered three days after a traumatic film reduces the number of intrusive memories of the experimental trauma. *J Behav Ther Exp Psychiatry*, 67, 101454.

(2,40)

Cwik, J. C., Vahle, N., Woud, M. L., Potthoff, D., **Kessler, H.**, Sartory, G., & Seitz, R. J. (2020). Reduced Gray Matter Volume in the Left Prefrontal, Occipital, and Temporal Regions as Predictors of Posttraumatic Stress Disorder: A Voxel-Based Morphometric Study. *Eur Arch Psychiatry Clin Neurosci*, 270(5), 577-588. <http://doi.org/10.1007/s00406-019-01011-2>

(3,29)

Serbanescu, I., Walter, H., Schnell, K., **Kessler, H.**, Weber, B., Drost, S., Groß, M., Neudeck, P., Klein, J.P., Assmann, N., Zobel, I., Backenstrass, M., Hautzinger, M., Meister, R., Härter, M., Schramm, E., Schoepf, D. (2020). Combining baseline characteristics to disentangle response differences to disorder-specific versus supportive psychotherapy in patients with persistent depressive disorder. *Behav Res Ther* 124, 103512. <https://doi.org/10.1016/j.brat.2019.103512>.

(4,50)

Spies, J.-P., Woud, M. L., **Kessler, H.**, Rau, H., Willmund, G., Köhler, K., Herpertz, S., Blackwell, S. E., Bovin, M. J., Marx, B. P., & Cwik, J. C. (2020). Psychometric properties of the German version of the Clinician-Administered PTSD Scale for DSM-5 (CAPS-5) in clinical routine settings: study design and protocol of a multitrait-multimethod study. *BMJ Open*, 10:e036078. doi: 10.1136/bmjopen-2019-036078

(2,50)

## 2019

**Kessler H**, Dangelia L, Kessler R, Mahnke V, Herpertz S, Kehyayan A. (2019). Mobilum—a new mobile app to engage visuospatial processing for the reduction of intrusive visual memories. *mHealth*; 5:49. doi:10.21037/mhealth.2019.09.15

(Pubmed)

Jungilligens, J., Wellmer, J., Schlegel, U., **Kessler, H.**, Axmacher, N., & Popkirov, S. (2019). Impaired emotional and behavioural awareness and control in patients with dissociative seizures. *Psychol Med*, 18: 1-9.

(5,64)

**Kessler, H.**, Axmacher, N., Diers, M., & Herpertz, S. (2019). On the Purported Dichotomy Between Fake and Real Symptoms: The Case of Conversion Disorders. [Opinion]. *Front Psychol*, *10*(2114).

(2,13)

Woud, M.L., Heeren, A., Shkreli, L., Meyer, T., Egeri, L., Cwik, J.C., Zlomuzica, A., **Kessler, H.** & Margraf, J. (2019). Investigating the effect of proactive interference control training on intrusive memories. *Eur J Psychotraumatol*, *10*:1, 1611092.

(4,21)

## 2018

**Kessler, H.**, Holmes, E. A., Blackwell, S. E., Schmidt, A. C., Schweer, J. M., Bucker, A., Herpertz, S., Axmacher, N., & Kehyayan, A. (2018). Reducing intrusive memories of trauma using a visuospatial interference intervention with inpatients with posttraumatic stress disorder (PTSD). *J Consult Clin Psychol*, *86*(12), 1076-1090.

(4,54)

Kehyayan, A., Matura, N., Klein, K., Schmidt, A. C., Herpertz, S., Axmacher, N., & **Kessler, H.** (2018). Putative Markers of Repression in Patients Suffering From Mental Disorders. *Front Psychol*, *9*, 2109.

(2,09)

Buchheim, A., Labek, K., Taubner, S., **Kessler, H.**, Pokorny, D., Kachele, H., Cierpka, M., Roth, G., Pogarell, O., & Karch, S. (2018). Modulation of Gamma Band Activity and Late Positive Potential in Patients with Chronic Depression after Psychodynamic Psychotherapy. *Psychother Psychosom*, *87*(4), 252-254.

(13,12)

Cwik, J. C., **Kessler, H.**, Herpertz, S., Becker, G., Janetzky, S., Sheverdina, A., ... Teismann, T. (2018). Konkordanz von DSM-5®-Diagnosen basierend auf diagnostischen Interviews mit Personen mit psychischen Störungen und ihren Angehörigen: Implikationen für die Methode der psychologischen Autopsie. *Psychotherapie, Psychosomatik, Medizinische Psychologie*, *68*, 75–81. <http://doi.org/10.1055/s-0043-118653>

(1,13)

Oehr, C. R., Fell, J., Baumann, C., Rosburg, T., Ludowig, E., **Kessler, H.**, Hanslmayr, S., & Axmacher, N. (2018). Direct Electrophysiological Evidence for Prefrontal Control of Hippocampal Processing during Voluntary Forgetting. *Curr Biol*, *28*(18), 3016-3022 e3014.

(9,25)

Woud, M. L., Blackwell, S. E., Cwik, J. C., Margraf, J., Holmes, E. A., Steudte-Schmiedgen, S., Herpertz, S., & **Kessler, H.** (2018). Augmenting inpatient treatment for post-traumatic stress disorder with a computerised cognitive bias modification procedure targeting appraisals (CBM-App): protocol for a randomised controlled trial. *BMJ Open*, 8(6), e019964.

Von Piekartz, H., Mohr, G., Limbrecht-Ecklundt, K., Traue, H.C & **Kessler, H.** (2018) Recognition of Emotional Facial Expressions and Alexithymia in Patients with Chronic Facial Pain. *Ann Psychiatry Ment Health* 6(3): 1134

## 2017

**Kessler, H.**, Schmidt, A. C., Hildenbrand, O., Scharf, D., Kehyayan, A., & Axmacher, N. (2017). Investigating Behavioral and Psychophysiological Reactions to Conflict-Related and Individualized Stimuli as Potential Correlates of Repression. *Front Psychol*, 8(1511). DOI: [10.3389/fpsyg.2017.01511](https://doi.org/10.3389/fpsyg.2017.01511)

(2,32)

## 2015

Oehr, C. R., Baumann, C., Fell, J., Lee, H., **Kessler, H.**, Habel, U., Hanslmayr, S., & Axmacher, N. (2015). Human Hippocampal Dynamics during Response Conflict. *Curr Biol*, 25(17), 2307-2313.

(9,57)

Taubner, S., Schulze, C., **Kessler, H.**, Buchheim, A., Kächele, H., & Staun, L. (2015). Veränderungen der mentalisierten Affektivität nach 24 Monaten analytischer Psychotherapie bei Patienten mit chronischer Depression. *Psychotherapie Forum*.

## 2014

Wiswede, D., Taubner, S., Buchheim, A., Munte, T. F., Stasch, M., Cierpka, M., Kachele, H., Roth, G., Erhard, P., & **Kessler, H.** (2014). Tracking functional brain changes in patients with depression under psychodynamic psychotherapy using individualized stimuli. *PLoS One*, 9(9), e109037.

(3,5)

Axmacher, N., **Kessler, H.**, & Waldhauser, G. T. (2014). Editorial on psychoanalytical neuroscience: exploring psychoanalytic concepts with neuroscientific methods. *Front Hum Neurosci*, 8, 674.

(2,9)

Jongen, S., Axmacher, N., Kremers, N. A., Hoffmann, H., Limbrecht-Ecklundt, K., Traue, H. C., & **Kessler, H.** (2014). An investigation of facial emotion recognition impairments in alexithymia and its neural correlates. *Behav Brain Res*, 271, 129-139.

(3,3)

Gassling, V., **Kessler, H.**, Klein, M. O., Detjen, A. M., Koos, B., Limbrecht-Ecklundt, K., Traue, H. C., Wiltfang, J., & Gerber, W. D. (2014). Normal emotion regulation in adults with cleft lip and palate: An exploratory study. *J Craniomaxillofac Surg*, 42(7), 1271-1276.

(2,6)

## 2013

Taubner, S., Wiswede, D. & **Kessler, H.** (2013). Neural activity in relation to empirically derived personality syndromes in depression using a psychodynamic fMRI paradigm. *Front Hum Neurosci* 7:812. doi: 10.3389/fnhum.2013.00812

(2,9)

Lazaro, E., Amayra, I., Lopez-Paz, J. F., Jometon, A., Martin, N., Caballero, P., De Nicolas, L., Hoffmann, H., **Kessler, H.**, Ruiz, B., & Martinez, O. (2013). Facial affect recognition in myasthenia gravis. *Span J Psychol*, 16, E52.

(0,83)

Hoffmann, H., Traue, H., Limbrecht-Ecklundt, K., Walter, S. & **Kessler, H.** (2013). Static and Dynamic Presentation of Emotions in Different Facial Areas: Fear and Surprise Show Influences of Temporal and Spatial Properties. *Psychology*, 4, 663-668. doi: 10.4236/psych.2013.48094.

Petrovsky, N., Ettinger, U., Quednow, B. B., Landsberg, M. W., Drees, J., Lennertz, L., Frommann, I., Heilmann, K., Strater, B., **Kessler, H.**, Dahmen, N., Mossner, R., Maier, W., & Wagner, M. (2013). Nicotine enhances antisaccade performance in schizophrenia patients and healthy controls. *Int J Neuropsychopharmacol*, 1-9.

(4,58)

Schmeing, J. B., Kehyayan, A., **Kessler, H.**, Do Lam, A. T., Fell, J., Schmidt, A. C., & Axmacher, N. (2013). Can the neural basis of repression be studied in the MRI scanner? New insights from two free association paradigms. *PLoS One*, 8(4), e62358.

(4,09)

**Kessler, H.**, Stasch, M. & Cierpka, M. (2013). Operationalized Psychodynamic Diagnosis as an instrument to transfer psychodynamic constructs into neuroscience. *Front Hum Neurosci*; 7:718. doi: 10.3389/fnhum.2013.00718

(2,9)

Kehyayan, A., Best, K., Schmeing, J. B., Axmacher, N. & **Kessler, H.** (2013). Neural activity during conflict-related sentences in healthy individuals. *Front Hum Neurosci*; 7:705. doi: 10.3389/fnhum.2013.00705

(2,9)

Petrovsky, N., Ettinger, U., **Kessler, H.**, Mossner, R., Wolfsgruber, S., Dahmen, N., et al. (2013). The effect of nicotine on sensorimotor gating is modulated by a CHRNA3 polymorphism. *Psychopharmacology (Berl)*, 229(1), 31-40.

(4,08)

## 2012

Buchheim A, Viviani R, **Kessler H**, Kächele H, Cierpka M, Roth G, George C, Kernberg O, Bruns G, Taubner S. (2012) Changes in prefrontal-limbic function in major depression after 15 months of psychodynamic long-term psychotherapy. *PLoS ONE* 7(3): e33745. doi:10.1371/journal.pone.0033745

(4,09)

Buchheim A, Viviani R, **Kessler H**, Kachele H, Cierpka M, Roth G, George C, Kernberg OF, Bruns G, Taubner S. (2012). Neuronale Veränderungen bei chronisch-depressiven Patienten während psychoanalytischer Psychotherapie. *Psychotherapeut*, 57: 219-26.

(0,35)

Petrovsky, N., Ettinger, U., Quednow, B. B., Walter, H., Schnell, K., **Kessler, H.**, Mossner, R., Maier, W., & Wagner, M. (2012). Nicotine differentially modulates antisaccade performance in healthy male non-smoking volunteers stratified for low and high accuracy. *Psychopharmacology (Berl)*, 221(1), 27-38.

(4,08)

Sala M, Molina P, Abler B, **Kessler H**, Vanbrabant L, van de Schoot R (2012) Measurement invariance of the Emotion Regulation Questionnaire (ERQ). A cross-national validity study. *European Journal of Developmental Psychology*

(1,05)

## 2011

Wiltink J, Glaesmer H, Canterino M, Wolfling K, Knebel A, **Kessler H**, Braehler E, Beutel ME (2011). Regulation of emotions in the community: suppression and reappraisal strategies and its psychometric properties. *Psychosoc Med*, 8, Doc09.

(Medline)

Tan JW, Walter S, Scheck A, Hrabal D, Hoffmann H, **Kessler H**, Traue HC (2011) Repeatability of facial electromyography (EMG) activity over corrugator supercilii and zygomaticus major on differentiating various emotions. *Journal of Ambient Intelligence and Humanized Computing*.

Walter S, **Kessler H**, Gruss S, Jerg-Bretzke L, Scheck A, Strobel J, Hoffmann H, Traue HC (2011) The influence of neuroticism and psychological symptoms on the assessment of images in three-dimensional emotion space. *GMS Psychosoc Med*; 8:Doc04.

(Medline)

**Kessler H**, Doyen-Waldecker C, Hofer C, Hoffmann H, Traue HC, Abler B. (2011) Neural correlates of the perception of dynamic versus static facial expressions of emotion. *GMS Psychosoc Med*; 8:Doc03.

(Medline)

**Kessler H**, Taubner S, Buchheim A, Münte TF, Stasch M, Kächele H, Roth G, Heinecke A, Erhard P, Cierpka M, Wiswede D (2011) Individualized and Clinically Derived Stimuli Activate Limbic Structures in Depression: an fMRI Study. *PLoS ONE*, 6(1): e15712 (4,35)

Taubner S, **Kessler H**, Buchheim A, Kaechele H, Staun L (2011) The role of mentalization in the psychoanalytic treatment of chronic depression. *Psychiatry: Interpersonal and Biological Processes*, 74(1): 49-57. (3,78)

## 2010

Abler B, Hofer C, Walter H, Erk S, Hoffmann H, Traue HC, **Kessler H** (2010) Habitual emotion regulation strategies and depressive symptoms in healthy subjects predict fMRI brain activation patterns related to major depression. *Psychiatry Res*, 183(2):105-113. (2,37)

Hoffmann H, **Kessler H**, Eppel T, Rukavina S, Traue HC (2010) Expression intensity, gender and facial emotion recognition: Women recognize only subtle facial emotions better than men. *Acta Psychol (Amst)*, 135(3):278-283. (2,19)

Hoffmann H., Traue HC, Bachmayr F, **Kessler H** (2010) Perceived Realism of Dynamic Facial Expressions of Emotion – Optimal Durations for the Presentation of Emotional Onsets and Offsets. *Cognition and Emotion*, 24(8): 1369-1376. (2,83)

**Kessler H**, Kammerer M, Hoffmann H, Traue HC (2010) Regulation von Emotionen und Alexithymie: Eine korrelative Studie. *Psychother Psychosom Med Psychol*, 60:169-174. (1,73)

**Kessler H**, Traue HC, Hopfensitz M, Subic-Wrana C, Hoffmann H (2010) Levels of Emotional Awareness Scale-Computer. Deutschsprachige digitale Version. *Psychotherapeut*, 55:329-224 (0,32)

Pauza E, Möller H, Benecke C, **Kessler H**, Traue H (2010) Emotionserkennung zu Beginn psychotherapeutischer Ausbildung. *Zeitschrift für Psychotraumatologie, Psychotherapiewissenschaft, Psychologische Medizin* 8: 93-100.

Staun L, **Kessler H**, Buchheim A, Kächele H, Taubner S (2010) Mentalisierung und chronische Depression. *Psychotherapeut*, 55:299-305.

(0,32)

## 2009

Abler B, **Kessler H** (2009). Emotion Regulation Questionnaire – Eine deutsche Version des ERQ von Gross & John. *Diagnostica*, 55(3):144-152

(0,56)

Pedrosa Gil F, Ridout N, **Kessler H**, Neuffer M, Schoechlin C, Traue HC, Nickel M (2009) Facial emotion recognition and alexithymia in adults with somatoform disorders. *Depress Anxiety*, 26:E26-33

(1,90)

## 2008

Braun M, Schönfeldt-Lecuona C, **Kessler H**, Beck J, Beschoner P, Freudenmann RW (2008) Burnout, Depression und Substanzgebrauch bei deutschen Psychiatern und Nervenärzten - Ergebnisse einer Pilotstudie. *Nervenheilkunde*, 27:800-804

(0,44)

Buchheim A, Kächele H, Cierpka M, Münte TF, **Kessler H**, Wiswede D, Taubner S, Bruns G, Roth G (2008) Psychoanalyse und Neurowissenschaften: Neurobiologische Veränderungsprozesse bei psychoanalytischen Behandlungen von depressiven Patienten – Entwicklung eines Paradigmas. *Nervenheilkunde*, 27:441-445

(0,44)

**Kessler H**, Bachmayr F, Walter S, Hoffmann H, Filipic S, Traue HC (2008) Symmetries in a standardized set of emotional facial expressions (JACFEE). *GMS Psychosoc Med*; 5:Doc09

(Medline)

## 2002-2007

**Kessler H**, Roth J, von Wietersheim J, Deighton RM, Traue HC (2007) Emotion recognition patterns in patients with panic disorder. *Depress Anxiety*, 24:223-226

(1,90)



**Kessler H**, Wiswede D, Buchheim A, Taubner S (2007) Panikattacke im funktionellen Magnetresonanztomographie-Scanner. *Psychotherapeut*, 52:463-466 (0,32)

Hoffmann H, Traue HC, Bachmayr F, **Kessler H** (2006) Perception of dynamic facial expressions of emotion. *Lecture Notes in Artificial Intelligence*, 4021:175-178 (0,25)

**Kessler H**, Michallik D, Traue HC, Pfäfflin F (2006) Transsexuals' Recognition of Emotions as Measured by the FEEL-Test. *Int J Transgenderism*, 9:9-14 (Index in PsychInfo)

**Kessler H**, Schwarze M, Filipic S, Traue HC, von Wietersheim J (2006) Alexithymia and facial emotion recognition in patients with eating disorders. *Int J Eat Disord*, 39:245-251 (2,27)

Braun M, Traue HC, Frisch S, Deighton RM, **Kessler H** (2005) Emotion recognition in stroke patients with left and right hemispheric lesion: Results with a new instrument-the FEEL Test. *Brain Cogn*, 58:193-201 (2,31)

**Kessler H**, Hoffman H, Bayerl P, Neumann H, Basic A, Deighton RM, Traue HC (2005) Die Messung von Emotionserkennung mittels Computer-Morphing - Neue Methoden für Forschung und Klinik. *Nervenheilkunde*, 24:611-614 (0,44)

**Kessler H** (2003) Die philosophische Diskursethik und das Ulmer Modell der Ethikseminare. *Ethik in der Medizin*, 15:258-267 (0,64)

**Kessler H**, Bayerl P, Deighton RM, Traue HC (2002) Facially Expressed Emotion Labeling (FEEL): PC-gestuetzter Test zur Emotionserkennung. *Verhaltenstherapie und Verhaltensmedizin*, 23:297-306 (Index in PsychInfo)

## b) Übersichtsartikel (chronologisch)

**Kessler, H.**, Dangellia, L., Herpertz, S., Kehyayan, A. (2020). Digitale Medien in der Psychotherapie - Neue Ansätze und Perspektiven in der Behandlung von Traumafolgestörungen. *Psychotherapie, Psychosomatik und Medizinische Psychologie*, Psychother Psych Med, 70, 371-377, DOI 10.1055/a-1120-8976  
(0,84)

Herpertz, S., Jongen, S., & **Kessler, H.** (2019). Adipositas-Chirurgie – ein narratives Review. *Psychotherapeutenjournal*, 4, 378-385.  
(kein Index)

Herpertz, S., **Kessler, H.**, Jongen, S. (2017). Psychosomatic and Psychosocial Questions Regarding Bariatric Surgery: What Do We Know, or What Do We Think We Know? *Z Psychosom Med Psychother* 63, 390–415.  
DOI: [10.13109/zptm.2017.63.4.344](https://doi.org/10.13109/zptm.2017.63.4.344) (0,84)

**Kessler, H.** (2015). Serious games in der Psychotherapie zur Verringerung von Intrusionen: Theorie, erste Erfolge und mögliche Implikationen für die Behandlung von Traumafolgen. *Verhaltenstherapie & Verhaltensmedizin* 36(1), 69-71.

**Kessler H.** (2013). Neuronale Korrelate der Depression. *Psychotherapie im Dialog*; 3, 76-78.

**Kessler H**, Traue HC, Wiswede D (2011) Why we still don't understand the depressed brain - Not going beyond snapshots. *GMS Psychosoc Med*; 8:Doc06.  
(Medline)

Axmacher N, Do Lam AT, **Kessler H**, Fell J (2010). Natural memory beyond the storage model: repression, trauma, and the construction of a personal past. *Front Hum Neurosci*, 4, 211.  
(1,55)

von Wietersheim J, **Kessler H** (2006) Psychotherapy with chronic inflammatory bowel disease patients: a review. *Inflamm Bowel Dis* 12:1175-1184  
(4,71)

Baumann K, **Kessler H**, Linden M (2005) Die Messung von Emotionen. *Verhaltenstherapie und Verhaltensmedizin* 26:190-202 (PsychInfo)

**Kessler H**, Von Wietersheim J (2005) Psychotherapeutische Ansätze in der Behandlung chronisch-entzündlicher Darmerkrankungen. *Psychodynamische Psychotherapie* 4:85-94 (PsychInfo)

### c) Buchbeiträge (chronologisch)

Scheck, A., Hoffmann, H., Traue, H. C., & **Kessler, H.** (2017). Modeling Emotions in Simulated Computer-Mediated Human-Human Interactions in a Virtual Game Environment. In Biundo, S. & Wendemuth, A. (eds.), *Companion Technology – A Paradigm Shift in Human-Technology Interaction*. ISBN 978-3-319-43664-7

**Kessler, H.**, Blackwell S.E. & Kehyayan, A. (2017). Reconsolidation and Trauma Memory. In Axmacher, N. & Rasch, B. (eds.), *Cognitive Neuroscience of Memory Consolidation, Studies in Neuroscience, Psychology and Behavioral Economics*, pp. 369-379. DOI 10.1007/978-3-319-45066-7\_22

**Kessler H.** (2015). *Kurzlehrbuch Medizinische Psychologie und Soziologie*. 3. Auflage. Stuttgart, Thieme.

Traue, H.C., Ohl, F., Limbrecht, K., Scherer, S., **H. Kessler**, Schwenker, F. , Kozyba, M., Brechmann, A., Hoffmann, H., Scheck, A. & Walter, S. (2014) Framework for Emotions and Dispositions in Man-Companion Interaction. In Campbell, N. & Rojc, M. (Eds.) *Speech, Gaze and Affect: Concepts of reactive and natural human-machine interaction techniques employing ECAs with personality and different human-like communicative-dialog tactics*. New Hampshire, USA: Science Publishers

Hoffmann H, Scheck A, Schuster T, Walter S, Limbrecht K, Traue HC, **Kessler H** (2014). Mapping discrete emotions into the dimensional space: An empirical approach. *Proceedings of the IEEE International Conference on Systems, Man, and Cybernetics (SMC)*.

Traue HC, Walter S, **Kessler H** (2013). Emotionsorientierte Interventionen bei Kopfschmerzen vom Spannungstyp (KST). In: Fritsche G, Gaul C (Hrsg.): *Multimodale Schmerztherapie bei chronischen Kopfschmerzen*. Stuttgart, Thieme.

Walter S, Kim J, Hrabal D, Crawcour SC, **Kessler H**, Traue HC (2013). Transsituational Individual-Specific Biopsychological Classification of Emotions. *IEEE Transactions on Systems, Man, and Cybernetics*; 43(4), 988-995

**Kessler H**, Wiswede D, Taubner S (2012). Individualisierte Experimente in der neurowissenschaftlichen Untersuchung psychischer Erkrankungen. In: Böker H, Seifritz E (Hrsg.): *Psychotherapie und Neurobiologie: Ein Blick in die Zukunft*. Hans Huber, Bern.

Buchheim A, Kächele H, Cierpka M, Münte TF, **Kessler H**, Wiswede D, Taubner S, Bruns G, Roth G (2010) Psychoanalyse und Neurowissenschaften – Neurobiologische Veränderungsprozesse bei psychoanalytischen Behandlungen von depressiven Patienten. In Leuzinger-Bohleber M, Röckerath K, Strauss LV (Hrsg) *Depression und Neuroplastizität. Psychoanalytische Klinik und Forschung*. Brandes & Apsel Verlag GmbH, Frankfurt a M, S 152-161

Schuster TJ, Gruss S, **Kessler H**, Scheck A, Hoffmann H, Traue H.C. (2010) EEG - pattern classification while viewing emotional pictures. In: Makedon F, Maglogiannis I, Kapidakis S, editors. Proceedings of the 3rd International Conference on Pervasive Technologies Related to Assistive Environments. S. 12-17.

Walter S, Hrabal D, Scheck A, **Kessler H**, Bertrain G, Nodtdurft F, Traue, H. C. (2010) Individual emotional profiles in Wizard-of-Oz-Experiments. In: Makedon F, Maglogiannis I, Kapidakis S, editors. Proceedings of the 3rd International Conference on Pervasive Technologies Related to Assistive Environments. S. 58-63.

**Kessler H**, Festini A, Traue HC, Filipic S, Weber M, Hoffmann H (2008) SIMPLEX – Simulation of Players Emotional Experience: A new model of Artificial Emotions. In: Or J (Hrsg.) Affective Computing: Emotion Modelling, Synthesis and Recognition. I-Tech Education and Publishing, Vienna, S. 255-271

Traue H, Horn A, **Kessler H**, Jerg-Bretzke L (2006) Schmerz und Psyche. In: Baron R, Strumpf M (Hrsg.) Praktische Schmerztherapie. Springer, Heidelberg, S. 101-110

**Kessler H**, Thumser K (2006) Schlüsselkompetenzen durch aktives und fallbezogenes Lernen fördern - Ein neues Lehrkonzept aus der Medizin. Neues Handbuch Hochschullehre G 5.6:1-14

Traue HC, Horn AB, **Kessler H** (2005) Emotion, Emotionsregulation und Gesundheit. In: Schwarzer R (Hrsg.) Gesundheitspsychologie. Enzyklopädie der Psychologie. Hogrefe, Göttingen

Traue HC, **Kessler H** (2003) Psychologische Emotionskonzepte. In: Stephan A, Walter H (Hrsg.) Natur und Theorie der Emotion. Mentis, Paderborn, S. 20-33